

array_resize

WMMEGA FW >= 2.1179 WM-M2 FW >= 3.1179

Resize an indexed array

Description

array_resize (array \$array, int \$length)

Parameters

\$array: An indexed **array**

\$index: The number of elements to resize to. If this is larger than the current size, 0 values will be inserted at the end. If the value is smaller, the array will be chopped.

Return Values

none

Example

==Create an indexed array and resize it

```
<pre><?

$arr=indexed_array(4,100); // array of 100 floating point values

// fill it up
for ($i=0;$i<100;$i++) {
    $arr[$i]=$i;
}

print(sizeof($arr));

array_resize($arr,50);
print_r($arr);

array_resize($arr,120);
print_r($arr);
?></pre>
```

The above example will output:

```
Key at Index 0 is name and value is John  
Key at Index 1 is age and value is 30  
Key at Index 2 is status and value is 1
```

See Also

[array\(\)](#) - Create an **array**, with optional values

[array_keys\(\)](#) - Return keys for an **array** that has key/value pairs

[sizeof\(\)](#) - Return the number of elements in an **array**

[print_r\(\)](#) - Dump the contents of an **array** to the current output

[uPHP Variable Types and Limits](#)

From:

<http://wattmon.com/dokuwiki/> - Wattmon Documentation Wiki



Permanent link:

http://wattmon.com/dokuwiki/uphp/functions/array_resize?rev=1611826607

Last update: **2021/09/13 05:56**