

# add\_cron

WattmonOS 3.12+

Add a script to be executed by the CRON scheduler

## Library

```
/lib/uphp/system.inc
```

## Description

add\_cron ( string \$filename , string \$interval )

Add a script to be executed by the CRON scheduler after a reboot.

## Parameters

- \$filename**: Full path to filename to be executed
- \$interval**: CRON-compatible interval using the following format:

```
second  minute  hour    dow
```

^ Field ^ Description ^

second	execution second, can be * (every second), */x (i.e. */5 for every 5 seconds), or any number between 0 and 59
minute	execution minute, can be * (every minute), */x (i.e. */15 for every 15 minutes), or any number between 0 and 59
hour	execution hour, can be * (every hour), */x (i.e. */2 for every 2 hours), or any number between 0 and 23
dow	execution day of the week, can be * (every day), or a value 0-6 (sunday to monday)

For example: “\* 0 \* \*” would execute the script once an hour

## Return Values

```
none
```

From:

<http://wattmon.com/dokuwiki/> - **Wattmon Documentation Wiki**

Permanent link:

[http://wattmon.com/dokuwiki/uphp/library\\_functions/add\\_cron?rev=1617787527](http://wattmon.com/dokuwiki/uphp/library_functions/add_cron?rev=1617787527)

Last update: **2021/09/13 05:56**

